

## **PolyQ-ataksiat - kirjallisuusviitteet**

Rosenberg RN (Ed): Autosomal dominant cerebellar phenotypes: The genotype will settle the issue. *Neurology* 40: 1329 – 1331, 1990

Orr HT et al: Expansion of an unstable trinucleotide CAG repeat in spinocerebellar ataxia type 1. *Nat Genet* 4: 221 – 226, 1993

Kawaguchi Y et al., CAG expansions in a novel gene for Machado-Joseph disease at chromosome 14 q 32.1. *Nat Genet* 8: 213 – 215, 1994

Koide R et al., Unstable expansion of CAG repeat in hereditary dentatorubralpallidoluysian atrophy (DRPLA). *Nat Genet* 6: 9 - 13, 1994

Rosenberg RN (Ed): Autosomal dominant cerebellar phenotypes: The genotype has settled issue. *Neurology* 45: 1 – 5, 1995

Rosenberg RN (Ed): Spinocerebellar ataxias and ataxins. *New England J Med* 333 (20): 1351 – 1352, 1995

Twist EC et al., Machado-Joseph disease maps to the same region of chromosome 14 as the spinocerebellar ataxia type 3 locus. *J Med Genet* 32: 25 – 31, 1995

Burk K et al.: Autosomal dominant cerebellar ataxia type I. Clinical features and MRI in families with SCA1, SCA2 and SCA3. *Brain* 119: 1497 – 1505, 1996

Pulst SM et al., Moderate expansion of a normally biallelic trinucleotide repeat in spinocerebellar ataxia type 2. *Nat Genet* 14: 269 – 276, 1996

David G et al., Cloning of the SCA7 gene reveals a highly unstable CAG-repeat expansion *Nat Genet* 17: 65 - 70, 1997

Kaakkola S ja Rinne R: Ataksiat ja niiden erotusdiagnostiikka (katsaus). *Duodecim* 113: 1773 – 1782, 1997

Schös L et al., Autosomal dominant cerebellar ataxia: phenotypic differences in genetically defined subtypes? *Ann Neurol* 42: 924-932, 1997

Zhuchenko O et al., Autosomal dominant cerebellar ataxia (SCA6) associated with small polyglutamine expansions in the alpha 1A-voltage-dependent calcium channel. *Nat Genet* 15: 62 – 67, 1997

Grewal RP et al.: Clinical and genetic analysis of a distinct autosomal dominant spinocerebellar ataxia. *Neurology* 51: 1423 – 1426, 1998

Guinti P et al., The role of the SCA2 trinucleotide repeat expansion in 89 autosomal dominant cerebellar ataxia families. Frequency, clinical and genetic correlates. *Brain* 121: 459-467, 1998

Klockgether T and Evert B: Genes involved in hereditary ataxias. *Trends Neurosci* 21: 413 – 418, 1998

Klockgether T et al.: The natural history of degenerative ataxia: a retrospective study in 466 patients. *Brain* 121: 589 – 600, 1998

Moseley ML et al.: Incidence of dominant spinocerebellar and Friedreich triplet repeats among 361 ataxia families. *Neurology* 51: 1666 – 1671, 1998

Subramony SH and Nance M: Diagnosis and management of the inherited ataxias. *The Neurologist* 4: 327 – 338, 1998

Koide R et al., A neurological disease caused by an expanded CAG trinucleotide repeat in the TATA-binding protein gene: a new polyglutamine disease? *Hum Mol Genet* 8: 2047 – 2053, 1999

Pujana MA et al., Spinocerebellar ataxias in Spanish patients: genetic analysis of familial and sporadic cases. The Ataxia Study Group. *Hum Genet* 104: 516-522, 1999

Rasmussen A et al., Molecular diagnosis of spinocerebellar ataxias in Mexican population. *Am J Hum Genet* 67 (Suppl 2): 342, 2000

Schöls L et al., Genetic background of apparently idiopathic sporadic cerebellar ataxia. *Hum Genet* 107: 132 – 137, 2000

Storey E et al., Frequency of spinocerebellar ataxia types 1, 2, 3, 6, and 7 in Australian patients with spinocerebellar ataxia. *Am J Med Genet* 95: 351-357, 2000

Tang B et al.: Frequency of SCA1, SCA2, SCA3/MJD, SCA6, SCA7, and DRPLA CAG trinucleotide repeat expansions in patients with hereditary spinocerebellar ataxia from Chinese kindreds. *Arch Neurol* 57: 540 – 544, 2000

Srivastava AK et al., Molecular and clinical correlation in five Indian families with spinocerebellar ataxia 12. *Ann Neurol* 50: 796-800, 2001

Subramony SH and Filla A (Ed): Autosomal dominant spinocerebellar ataxias ad infinitum? *Neurology* 56: 287 – 289, 2001

Margolis RL: The Spinocerebellar Ataxias: Order Emerges from chaos. *Curr Neurol and Neurosci Rep* 2: 477 – 456, 2002

Perlman SL: Spinocerebellar degeneration: an update. *Curr Neurol Neurosci Rep* 2: 331 – 341, 2002

Silveira I et al., Trinucleotide repeats in 202 families with ataxia. A small expanded (CAG)<sub>n</sub> allele at the SCA17 locus. *Arch Neurol* 59: 623 – 629, 2002

Bang OY et al., Clinical and Neuroradiological features of patients with spinocerebellar ataxias from Korean kindreds. *Arch Neurol* 60: 1566-1574, 2003

Bryer A et al., The hereditary adult-onset ataxias in South Africa. *J Neurol Sci* 216: 47-54, 2003

Bürk K et al., Cognitive deficits in spinocerebellar ataxia type 1, 2, and 3. *J Neurol* 250: 207 – 211, 2003

Okamoto K et al., MR features of diseases involving bilateral middle cerebellar peduncles. *Am J Neuroradiol* 24: 1946 – 1954, 2003

Brusco A et al., Molecular genetics of hereditary spinocerebellar ataxia. Mutation analysis of spinocerebellar ataxia genes and CAG/CTG repeat expansion detection in 225 Italian families. *Arch Neurol* 61: 727 – 733, 2004

De Michele G et al., A pathogenetic classification of hereditary ataxias: Is the time ripe? – *J Neurol* 251: 913-922, 2004

Xia H et al., RNAi suppresses polyglutamine-induced neurodegeneration in a model of spinocerebellar ataxia. *Nat Med* 10: 816 – 820, 2004

van de Warrenburg BPC et al., Peripheral nerve involvement in spinocerebellar ataxias. *Arch Neurol* 61: 257 – 261, 2004

Gatchel JR and Zoghbi HY: Diseases of unstable repeat expansion: mechanisms and common principles. *Nat Rev Genet* 6: 743 – 755, 2005

Gould VFC: Mouse models of Machado-Joseph Disease and other polyglutamine spinocerebellar ataxias. *Am Soc Exp Neurother* 2: 480 – 483, 2005

Jiang H et al., Frequency analysis of autosomal dominant spinocerebellar ataxias in mainland Chinese patients and clinical and molecular characterization of spinocerebellar ataxia type 6. *Chin Med J* 118(10): 837-843, 2005

Juvonen V et al. The occurrence of dominant spinocerebellar ataxias among 251 Finnish ataxia patients and the role of predisposing large normal alleles in a genetically isolated population. *Acta Neurol Scand* 111: 154 – 1562, 2005

Klockgether T: Ataxiekrankheiten. Diagnostisches Vorgehen und Therapie. Nervenarzt 20: 1275 - 1285, 2005

Kraft S et al., Adult onset spinocerebellar ataxia in a Canadian movement disorders clinic. Can J Neurol Sci 32: 450-458, 2005

Manto M-U: The wide spectrum of spinocerebellar ataxias (SCAs). Cerebellum 4: 2 – 6, 2005

Tanaka M et al., A novel therapeutic strategy for polyglutamine diseases by stabilizing aggregation-prone proteins with small molecules. J Mol Med 83: 343 – 352, 2005

van de Warrenburg BP et al., Recent advances in hereditary spinocerebellar ataxias. J Neuropathol Exp Neurol 64: 171 – 180, 2005

van de Warrenburg BPC et al., Age at onset variance analysis in spinocerebellar ataxias: a study in a Dutch-Frech cohort. Ann Neurol 57: 505 – 512, 2005

Dragasevic NT et al., Frequency analysis and clinical characterization of different types of spinocerebellar ataxia in Serbian patients. Mov Disord 21(2):187 – 191, 2006