

Kirjallisuusviitteet – Spinocerebellaariataksia tyyppi 10 (SCA10)

Rosenberg RN (Ed): Autosomal dominant cerebellar phenotypes: The genotype will settle the issue. *Neurology* 40: 1329 – 1331, 1990

Harding AE: Ataxic disorders. Kirjassa: *Neurology in clinical practice*, 337 – 346. Toim. WG Bradley, RB Daroff, GM Fenichel and CD Mardsen. Butterworth-Heinemann, Boston 1991(a)

Harding AE: Cerebellar and spinocerebellar disorders. Kirjassa: *Neurology in clinical practice*, 1603 – 1623. Toim. WG Bradley, RB Daroff, GM Fenichel and CD Mardsen. Butterworth-Heinemann, Boston 1991(b)

Subramony SH and Nance M: Diagnosis and Management of the inherited ataxias. *The Neurologist* 4: 327 – 338, 1998

Ashizawa T (Ed): Repeats may not be everything in anticipation. *Neurology* 53: 1164 – 1165, 1999

Matsuura T, Achari M, Khajavi M, Bachinski LL, Zoghbi HY and Ashizawa T: Mapping of the Gene for a Novel Spinocerebellar Ataxia with Pure Cerebellar Signs and Epilepsy. *Ann Neurol* 45: 407 – 411, 1999

Matsuura T, Yamagata T, Burgess DL, Rasmussen A, Grewald RP, Watase K, Khajavi M, McCall AE, Davis CF, Zu L, Achari M, Pulst SM, Alonso E, Noebels JL, Nelson JL, Zoghbi HY and Ashizawa T: Large expansion of the ATTCT pentanucleotide repeat in spinocerebellar ataxia type 10. *Nature Genetics* 26: 191 – 194, 2000

Rasmussen A et al: Clinical and Genetic Analysis of Four Mexican Families With Spinocerebellar Ataxia Type 10. *Ann Neurol* 50: 234 – 239, 2001

Subramony SH and Filla A (Ed): Autosomal dominant spinocerebellar ataxias ad infinitum? *Neurology* 56: 287 – 289, 2001

Matsuura T and Ashizawa T: Polymerase Chain Reaction Amplification of Expanded ATTCT Repeat in Spinocerebellar Ataxia Type 10. Wiley-Liss, Inc. 271 – 272, 2002

Burgess DL et al: Genetic localization of the Ca²⁺ channel gene CACNG2 near SCA10 on chromosome 22q13. *Epilepsia* 41(1): 24 – 7, 2000

Margolis RL: The Spinocerebellar Ataxias: Order Emerges from Chaos. *Curr Neurol and Neurosci Rep* 2: 477 – 456, 2002